The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : DR-466

Lake : Lake of the Woods

Applicant : Marshall County Drainage Board

Larry C Fisher PLS

Marshall County Building 112 West Jefferson Street

Plymouth, IN 46563

Description : This is a maintenance project (sediment removal) on an existing regulated drain

which was reconstructed over 20 years ago. Details of the project are contained in information received electronically at the Division of Water on December 7,

2006.

Location : Project is located on the west side of Lake of the Woods, Marshall County,

Indiana. Project starts on West Shore Drive approximately 650 feet south of the

intersection of West Shore Drive and 4th Road and extends westerly

near Bremen, North Township, Marshall County Section 12, T 34N, R 2E, Bremen Quadrangle

Quad Code: 4108642

Statute/Rule: "Ditch" Act, IC 14-26-5

Application # : DR-467

Stream : Unnamed Tributary Lake

Of The Woods

Applicant : Marshall County Drainage Board

Larry C Fisher PLS Marshall County Building 112 West Jefferson Street

Plymouth, IN 46563

Description : This is a maintenance project (sediment removal) on an existing regulated drain

(Bohmer Ditch). Beginning where the ditch crossing West Shore Drive at Lake of

the Woods and extending westerly. SEA #494. Details of the project are contained in information received electronically at the Division of Water on

December 12, 2006.

Location : Project is located on the West side of Lake of the Woods, Marshall County,

Indiana in Section in Section 1, T35N, R2E and starts approximately 1600 feet

North of the intersection of West Shore Drive and 4th Road

near Bremen, North Township, Marshall County Section 1, T 35N, R 2E, Bremen Quadrangle

Quad Code: 4108642

Statute/Rule: "Ditch" Act, IC 14-26-5

RASR010 1 12/14/2006 9:17 AM

Application # : FW-24082

Stream : Ohio River

Applicant : City of Rising Sun

Mike Northcutt

200 North Walnut Street Rising Sun, IN 47040-0712

Description : Approximately 465 linear feet of the river's eroded streambank will be stabilized

with a 12' high retaining wall to deter further bank erosion. The retaining wall will consist of Mesa blocks with geo-grid reinforced sod. The streambank in front of the wall will be stabilized by a concrete sidewalk and riprap placed over a

geotextile fabric that will extend down to the normal pool level at a 3:1 sideslope.

The retaining wall and the concrete sidewall will be constructed above the ordinary high water elevation of 459.0'. Additionally, a new concrete stairway with landing and a 36" pipe with a 36" end treatment will be constructed. Details of the project are contained in information and plans received at the Division of Water

on November 29, 2006.

Location : Along the south side of Front Street at the intersection of Main Street and Front

Street extending upstream approximately 465' to the intersection with 4th Street

DOWNSTREAM: at Rising Sun, Randolph Township, Ohio County

NW1/4, SE1/4, SW1/4, Section 2, T 3N, R 1W, Rising Sun, IN-KY Quadrangle

Quad Code: 3808487

UTM Coordinates: Downstream 4312950 North, 686275 East

UPSTREAM:

UTM Coordinates: Upstream 4313100 North, 686350 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24087

Stream : Falling Run

Applicant : Padgett Realty LLC

Jim Padgett

901 East Fourth Street

New Albany, IN 47150-3328

Description : An approximate 400' x 700' area was filled in the east (left) floodplain of Falling

Run. The fill varies in depth from grade on the landward side to approximately 12' on the streamward side. It is set approximately 80' back from the top of the bank and has 3:1 sideslopes. The fill's finished elevation is 442', NGVD. Details of the project are contained in information and plans received at the Division of

Water on November 28, 2006.

Location : Along the left (southwest) overbank, beginning 1000' east of the Bond Road and

Graybrook Road intersection and extending approximately 400' downsream DOWNSTREAM: near New Albany, New Albany Township, Floyd County

Section 35, T 2S, R 6E, New Albany, IN-KY Quadrangle

Quad Code: 3808537

UTM Coordinates: Downstream 4239175 North, 602795 East

UPSTREAM:

UTM Coordinates: Upstream 4239320 North, 602855 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24090

Stream : Honey Run

Applicant : Scott County Commissioners

C William Read

One East McClain Avenue, Suite 130

Scottsburg, IN 47170-1852

Description : The existing 20' single span (steel) beam bridge will be replaced with a 24'-4" x

8'-2" x 36' aluminum box culvert bridge with headwalls, wingwalls, toewalls, and invert. The structure will have a clear roadway width of 28'. The side slopes will be armored with Revetment riprap placed over a geotextile fabric. The abutments will not be skewed. The approach roads will follow the existing ground contours to allow for road overflow. Details of the project are contained in information and

plans received at the Division of Water on December 6, 2006.

Location : At the County Road 150 South (Lake Road) stream crossing

near Scottsburg, Vienna Township, Scott County

SW1/4, SE1/4, NW1/4, Section 30, T 3N, R 6E, Scottsburg Quadrangle

Quad Code: 3808567

UTM Coordinates: Downstream 4280725 North, 605490 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24091

Stream : West Fork White River

Applicant : Hamilton County Parks & Recreation Department

B Christopher Stice

15513 South Union Street Carmel, IN 46033-9445

Description : Approximately 2350' of West Fork White River's western streambank will be

stabilized. Class 1 rirap will be keyed into the toe of the slope, covered with 6" of compacted uniform riparp, backfilled, and covered with permanent erosion control blankets and a native vegetation seed mixture. In those areas where the bank is shallow, the bank will be stabilized by placing riprap at the toe of the slope. Gabion sacks will be placed atop the riprap. Six inches of compacted uniform riprap will be stacked behind the gabion sacks, backfilled, and then covered with permanent erosion control blankets and a native vegetation seed mixture. Details

of the project are contained in information and plans received at the Division of

Water on December 6, 2006.

Location : Along the right (west) bank beginning approximately 315' downstream of the

Strawtown Avenue stream crossing extending downstream about 2850' DOWNSTREAM: near Noblesville, White River Township, Hamilton County

SE1/4, NE1/4, SW1/4, Section 4, T 19N, R 5E, Riverwood Quadrangle

Quad Code: 4008518

UTM Coordinates: Downstream 4441807 North, 587641 East

UPSTREAM: NE14, SW14, NE14

UTM Coordinates: Upstream 4442441 North, 588174 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24092

Stream : Silver Creek

Applicant : Ben Marrs

9538 S.W. Washington School Road Fredericksburg, IN 47120-8933

Description : A 1000' x 500' area was filled in the east (left) floodplain of Silver Creek to

compensate for previous excavation at the site. An additional 350' x 450' area that has not been excavated will be filled. The entire 1350' x 950' area will be filled to an elevation of 450'. The work will remain at least 100' from the high bank of the stream. Details of the project are contained in information and plans

received at the Division of Water on December 6, 2006.

Location : In the left (east) overbank beginning at a point approximately 1700' upstream of

the stream mouth extending east-northeast about 1400' and north-northwest

about 500'

DOWNSTREAM: near Clarksville, Jeffersonville Township, Clark County

Clark Military Grant #30, New Albany, IN-KY Quadrangle

Quad Code: 3808537

UTM Coordinates: Downstream 4239010 North, 605817 East

UPSTREAM:

UTM Coordinates: Upstream 4239148 North, 605787 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24093

Stream : William Vogus Ditch

Applicant : Western School Corporation

Ronald Wilson 2600 S 600 W

Russiaville, IN 46279-9052

Description : A new wastewater treatment plant and outfall structure will be constructed. The

outfall will consist of a 6" diameter PVC pipe outletting from the plant to the ditch. The outfall will have a concrete headwall and an energy dissipator. Details of the project are contained in information and plans received at the Division of Water

on December 6, 2006.

Location : Approximately 1250' south of the County Road 250 South and County Road 600

West intersection, extending about 400' northwest and 200' southwest DOWNSTREAM: near Kokomo, Monroe Township, Howard County SE¼, NE¼, SE¼, Section 13, T 23N, R 2E, Kokomo West Quadrangle

Quad Code: 4008642

UTM Coordinates: Downstream 4476447 North, 564097 East

UPSTREAM:

UTM Coordinates: Upstream 4476350 North, 564192 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24094

Stream : Ohio River

Applicant : Keith R Antz

9010 Stonemour Way

Charlestown, IN 47111-9697

Description : A new 42' x 45' residential structure will be constructed at grade. Details of the

project are contained in information and plans received at the Division of Water

on December 6, 2006.

Location : Along the right (north) over bank; approximately 750' upstream of the I-65 stream

crossing

at Jeffersonville, Jeffersonville Township, Clark County Clark Military Grant #1, Jeffersonville, IN-KY Quadrangle

Quad Code: 3808536

UTM Coordinates: Downstream 4236354 North, 609996 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24095

Stream : Ohio River

Applicant : Lonnie Cooper

430 Watt Street

Jeffersonville, IN 47130-3958

Description : A new 42' x 45' residential structure will be constructed with the lower level to be

used as a garage. Details of the project are contained in information and plans

received at the Division of Water on December 6, 2006.

Location : Along the right (north) over bank; approximately 1,400' upstream of the I-65

stream crossing

at Jeffersonville, Jeffersonville Township, Clark County Clark Military Grant #1, Jeffersonville, IN-KY Quadrangle

Quad Code: 3808536

UTM Coordinates: Downstream 4236354 North, 609996 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24097

Stream : St. Joseph River

Applicant : IPFW

David Danielson

2101 East Coliseum Boulevard Fort Wayne, IN 46805-1445

Description : A three-span cable stayed steel pedestrian bridge will be constructed. The

structure will have an out-to-out width of 10' and a length of 465', with span lengths of 40', 385', and 40'. In addition, there will be 4.5' railing along both sides of the structure. The two concrete piers will be constructed along the banks and riprap will be be placed around the pilings. Construction will also include a 280'

by 60' temporary riprap causeway. Details of the project are contained in information and plans received at the Division of Water on December 11, 2006.

information and plans received at the Division of Water on December 11, 2006.

Location : Approximately 800' north (upstream) of the Coliseum Boulevard crossing

DOWNSTREAM: at Fort Wayne, St. Joseph Township, Allen County SE₄, NW₄, NW₄, Section 30, T 31N, R 13E, Fort Wayne East Quadrangle

Quad Code: 4108511

UTM Coordinates: Downstream 4553419 North, 658247 East

UPSTREAM:

UTM Coordinates: Upstream 4553419 North, 658247 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24098

Stream : East Fork White River

Applicant : Vectren Utility Holdings, Inc.

Allen Rose

20 N W Fourth Street

Evansville, IN 47702-0209

Description : An 8" diameter (steel) gas line will be installed by directional bore beneath the

East Fork White River. The line will have 22' of cover beneath the streambed and 4' in the streambanks. Details of the project are contained in information received

electronically at the Division of Water on December 11, 2006.

Location : The project is located one mile north of Seymour on the west side of SR 11 at the

bridge crossing

near Seymour, Redding Township, Jackson County

Section 31, T 7N, R 6E, Seymour Quadrangle

Quad Code: 3808588

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24104

Stream : Williams Ditch

Applicant : Lake County Drainage Board

Daniel V Gossman 2293 North Main Street Crown Point, IN 46307-1854

Description : This project involves ditch reconstruction on approximately 8,400' of Williams

Ditch. Activities include 1) removal of accumulations of logs, root wads, trees in danger of falling into the stream or obstructing flow, and other debris that spans the waterway using hand operated and/or heavy equiptment, 2) dipping, dredging, and/or removing 0.5 foot to 2.5 foot of sediment from the channel bottom, 3) installation of two in-channel sediment basins approximately 80' long by 3' deep, and 4) riprap bank protection in areas of erosion, mimicking the natural slope of the channel bank. Details of the project are contained in information received electronically at the Division of Water on December 13,

2006.

Location : The project is located along Williams Ditch beginning at the intersection of Cline

Avenue and 245th Street and heading generally south and east for 8,400'

near Schneider, West Creek Township, Lake County Section 2, T 31N, R 9W, Schneider Quadrangle

Quad Code: 4108724

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20626

Lake : Shriner Lake

Applicant : Ernest Nine

5383 North Old 102

Columbia City, IN 46725-8938

Description : An existing poured in place concrete seawall will be refaced across a portion of

the 85' of 85' frontage of the applicant on Shriner Lake to prevent deterioration. The refacing will consist of poured in place concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 30" wide poured in place concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received

electronically at the Division of Water on December 13, 2006.

Location : 5383 North Old 102; north side of Shriner Lake

near Columbia City, Thorncreek Township, Whitley County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20627

Lake : Webster Lake

Applicant : Patricia Leto

55 EMS W29B Lane

North Webster, IN 46555-9749

Description : A new seawall (will be) constructed across 80' of the 80' frontage of the applicant

along Webster Lake to deter shoreline erosion. The wall will consist of poured in place concrete which will be slope on the lakeward side. It will be 48" high and will vary uniformly in thickness from 13" to 30" from the base to the top. The lakeward face of the wall will be at the legal shoreline. Details of the project are contained in information received electronically at the Division of Water on

December 13, 2006.

Location : 51 EMS W29B Lane and 55 EMS W29B Lane; south side of Webster Lake, W ½

Lot 25, Point Yellow Bank Haymonds and Lot 26 and E ½, Lot 27 Point Yellow

Banks Haymonds

near North Webster, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11